L Number	Hits	Search Text	DB	Time stamp
3	1664	(455/558,556, 557,550,575,66,76,84,344,557.ccls. or 455/\$.ccls. or	USPAT;	2003/07/03 11:07
		379/\$.ccls. or 358/\$.ccls. or 755/\$.ccls.) and (fax or facsimile) and	US-PGPUB;	
		(switch\$5 or select\$4) and (telephone or deivce or unit) near3 (cellular	DERWENT	
		or mobile or wireless) and (@ad<=19990925)		
5	1	(((455/558,556, 557,550,575,66,76,84,344,557.ccls. or 455/\$.ccls. or	USPAT;	2003/07/03 11:08
		379/\$.ccls. or 358/\$.ccls. or 755/\$.ccls.) and (fax or facsimile) and	US-PGPUB;	
		(switch\$5 or select\$4) and (telephone or deivce or unit) near3 (cellular	DERWENT	
		or mobile or wireless) and (@ad<=19990925)) and (fax or facsimile).ti.)		
		and (Yoshida or Iguchi or Nakamura or Watanabe).in.		
4	91	((455/558,556, 557,550,575,66,76,84,344,557.ccls. or 455/\$.ccls. or	USPAT;	2003/07/03 11:10
		379/\$.ccls. or 358/\$.ccls. or 755/\$.ccls.) and (fax or facsimile) and	US-PGPUB;	
		(switch\$5 or select\$4) and (telephone or deivce or unit) near3 (cellular	DERWENT	
		or mobile or wireless) and (@ad<=19990925)) and (fax or facsimile).ti.		

	U	1	Document ID	Issue Date	Pag es	Title ^a	Current OR	Current XRef	Retrieva l Classif
1	⋈		US 5930727 A	1999072 7	10	Analog fax and modem requests in a D-AMPS multi-line terminal system	455/557	455/550.1; 455/553.1	
2			US 6035205 A	2000030 7	12	Apparatus and method for enhancing telephone call quality of facsimile system with wireless telephone function	455/462	379/100.0 1; 455/553.1; 455/557	
3			US 6348970 B1	2002021 9	18	Apparatus and method for interfacing a computer network to a facsimile machine	358/1.15	358/403; 358/468; 379/100.0 7; 382/219; 707/3	
4			US 200100141 48 A1	2001081 6	9	APPARATUS WITH A STATIONARY FACSIMILE UNIT AND A CORDLESS HANDHELD UNIT WHICH INTEGRATES A SCANNER AND A SPEECH CIRCUIT	379/100.0 2	358/400	
5			US 6463129 B1	2002100 8	11	Call screening method of a facsimile system having a stationary main unit connected to a telephone network and a cordless portable unit	379/67.1	379/88.19; 455/412.1; 455/557; 455/567	
6			US 5857153 A	1999010 5	26	Cellular telecommunications network having seamless interoperability between exchanges while providing voice, asynchronous data and facsimile services in multiple frequency hyperbands	455/436	455/560	
7			US 5966669 A	1999101 2	74	Communication apparatus having inter-communicating device for exchanging data between fax terminal and radio terminal	455/557	358/442; 358/468	
8	Ø		US 4897733 A	1990013 0	13	Communication system in facsimile	358/426.0 9	358/435; 714/747	
9	Ø		US 6240445 B1	2001052 9	14	Computer implemented method and apparatus for receiving facsimile messages using an indentifier appended to a shared telephone number	700/206	370/389; 370/390; 370/432; 379/90.01	·
10	Ø	1 1 1	US 6038037 A	2000031 4	10 :	Digital network interface for analog fax equipment	4 2 X / / I 4 / I	358/442; 370/235	
13	⊠	1 1 !	US 5418630 A	1995052 3	21	Facsimile apparatus	358/472	358/473; 358/484; 398/115	

	U	1	Document ID	Issue Date	Pag es	Title △	Current OR	Current XRef	Retrieva l Classif
14	⊠		US 4796091 A	1989010 3	17	Facsimile apparatus	358/444	358/296; 358/403; 375/222; 455/345	
15	Ø		US 5297196 A	1994032 2	19	Facsimile apparatus adapted to communicate via an acoustic coupler	379/93.07	379/100.1 2; 379/444; 379/93.37	
16	Ø		US 5041917 A	1991082 0		Facsimile apparatus adapted to communicate via more than one transmission medium each having different transmission quality	358/434	358/435; 358/436; 358/445; 379/100.0 6; 379/33	
19			US 5537220 A	19960 7 1 6		Facsimile apparatus capable of connecting to mobile communicator and public communication line	358/442	358/439; 379/100.1 2	
20	⊠		US 5274467 A	8	16	Facsimile apparatus capable of desired processings dependent on terminal number of calling party	358/440	358/402	
21	⊠		US 5668641 A	1997091 6	63	Facsimile apparatus for error retransmission	358/436	358/438; 714/748	
22	⊠		US 5815288 A	1998092 9	22	Facsimile apparatus with changeable transmission energy level and transmission speed	358/468	358/409; 358/412; 358/442; 379/100.1 5; 379/93.33; 379/93.34	

, , ,
